

SERVICE CLASSIFICATION NO. 6

PUBLIC AND PRIVATE STREET LIGHTING

Applicable to Use of Service for

Lighting of public and private streets, thoroughfares, parks and parkways, and bus-stop shelters; operation of traffic control signals, fire alarm signals, warning, and directional signs.

Character of Service

**Continuous Service
Standard Service**

Any derivative of the standard alternating current, 3 phase, 4 wire system at 60 cycles and 120/208 volts.

Non-Standard Service

Low Tension Alternating Current - 60 cycles:
Single phase at 120/240 volts

Limited Period Service - (where the Company supplies controlled period service)

Standard Service

Any derivative of the standard alternating current, 3 phase, 4 wire system at 60 cycles and 120/208 volts.

Non-Standard Service

Low Tension Alternating Current - 60 cycles:
Single phase at 120/240 volts

Series Service

60 cycles and 6.6, 15 or 20 amperes.

(Service Classification No. 6 - Continued on Leaf No. 245)

Date of Issue: April 7, 1995

Date Effective: April 9, 1995

Issued by Raymond J. McCann, Executive Vice President and
Chief Financial Officer
4 Irving Place, New York, N.Y. 10003

Issued under authority
of order of the
Public Service Commission,
issued April 6, 1995,
in Case No. 94-E-0334.

**SERVICE CLASSIFICATION NO. 6 - Continued
PUBLIC AND PRIVATE STREET LIGHTING**

Rate

The monthly bill for service hereunder, exclusive of Additional Charges and Adjustments and the Increase in Rates and Charges, shall be the sum of applicable charges at the rates set forth in Parts 1 and 2 below:

1. Supplying Electric Energy - Per Calendar Month

Energy Delivery Charge (cents per kilowatthour)

<u>Month</u>	<u>Delivery Service</u>
June, July, August, September	4.72
All other months	4.72

Customer Charge (per month) \$17.34

2. Furnishing and Maintaining Control Equipment - Per Calendar Month

(Service hereunder is available only subject to the limitations provided in Special Provision G)

For each point of service termination, as defined in Special Provision E hereof, where the Company supplies controlled period service from its circuits \$2.56

Additional Charges and Adjustments

Customers taking service under this Rate Schedule are subject to the Market Supply Charge ("MSC") and Adjustment Factor - MSC, as described in General Information Section VII and shown on the Statement of Market Supply Charge and Monthly Adjustment Clause and on the Statement of Adjustment Factor - MSC. Customers taking service under this Rate Schedule and Customers taking service under the Retail Access Rate Schedule are subject to additional delivery service charges, consisting of the Monthly Adjustment Clause ("MAC"), Adjustment Factor - MAC, System Benefits Charge, Renewable Portfolio Standard Charge (effective October 2005), and other charges and adjustments, as applicable, as described in General Information Sections VII and VIII-(B) and shown on the related Statements.

Increase in Rates and Charges

The rates and charges under this Service Classification, including the Customer Charge and Additional Charges and Adjustments described above, are increased by the applicable percentage as explained in General Information Section VIII-(A) and shown on the related Statement.

Terms of Payment

Net cash on presentation of bill, subject to late payment charge in accordance with provisions of General Rule III-11 (N).

(Service Classification No. 6 - Continued on Leaf No. 245-A)

Date of Issue: March 1, 2007

Date Effective: April 1, 2007

RESERVED FOR FUTURE USE

(Service Classification No. 6 - Continued on Leaf No. 246)

Date of Issue: March 31, 2005

Date Effective: April 1, 2005

SERVICE CLASSIFICATION NO. 6 - Continued

PUBLIC AND PRIVATE STREET LIGHTING

Term

30 days from the date of installation of service hereunder; terminable thereafter by the Customer at the end of a calendar month upon 30 days' prior notice in writing and by the Company in accordance with law or the provisions of this Rate Schedule.

Special Provisions

- (A) The electric energy supplied under this Service Classification will be unmetered. The kwhr consumption shall be determined by the Company from the manufacturer's rated wattage and the total number of lamps and auxiliary equipment in operation, multiplied by the number of hours of operation for the month, subject to deduction for all uses except bus-stop shelters of 3.5 percent and for bus-stop shelters of 3.3 percent as an allowance for any service outages.

The number of hours of operation per month for lamps burning on a dusk to dawn schedule shall be as shown in the following tables:

Month	<u>Astronomical Time Switches</u>		<u>Light Sensitive Control Devices</u>	
	Normal Year	Leap Year	Normal Year	Leap Year
January	429	429	443	443
February	359	371	372	384
March	357	357	371	371
April	302	302	319	319
May	270	270	294	294
June	239	239	266	266
July	256	256	283	283
August	286	286	314	314
September	323	323	342	342
October	379	379	396	396
November	405	405	418	418
December	445	445	452	452
	4,050	4,062	4,270	4,282

The Customer shall notify the Company of the number of hours of operation per month for all traffic control and other lamps not burning on a dusk to dawn schedule.

(Service Classification No. 6 - Continued on Leaf No. 247)

Date of Issue: December 1, 1997

Date Effective: January 1, 1998

Issued by Joan S. Freilich, Senior Vice President and
Chief Financial Officer
4 Irving Place, New York, N.Y. 10003

Issued under authority of
order of the Public Service
Commission dated September 23,
1997 in Case No. 96-E-0897.

SERVICE CLASSIFICATION NO. 6 - Continued

PUBLIC AND PRIVATE STREET LIGHTING

Special Provisions - Continued

- (B) The respective quantities of lamps and auxiliary equipment in operation, the points of service termination at which controlled period service is supplied by the Company and the units of lighting equipment maintained or rented by the Company shall be determined upon the basis of the quantities in service on the 15th day of the calendar month for the purpose of computing the charges payable for such month.
- (C) All incandescent lamps shall be tungsten filament, rated in initial lumens and wattage and designed for an average life of 3,000 hours, laboratory test, and shall conform to the standard in rating and efficiency as fixed in the latest specification of the Bureau of Standards of the U. S. Department of Commerce.

Sodium vapor, mercury vapor, and fluorescent lamps shall be equipped with suitable ballasts designed to correct the power factor of the lamp to at least 85% lagging, rated in initial lumens and wattage and designed, respectively, for an average life of 4,000 hours; 4,000, 6,000 and 12,000 hours; and 7,500 hours, laboratory test.

All lamps shall have indelibly etched thereon the name or trade-mark of the manufacturer, and the rating in lumens and watts or amperes for which the lamp is designed.

The Customer will submit on request by the Company, the following rating and wattage data regarding the lamps and auxiliary equipment it proposes to use:

- (1) Name and trade-mark of manufacturer and place of manufacture.
- (2) For multiple lamps, the wattage, rated initial lumens and mean lumens in percent of average initial lumens and, where operated with a ballast, the power factor correction furnished by the ballast.
- (3) For series lamps, the rated initial lumens, mean lumens in percent of average initial lumens, wattage and amperes and, where operated with a ballast, the power factor correction furnished by the ballast.
- (4) For ballasts or auxiliary equipment used in conjunction with the above lamps, the manufacturer's name plate ratings.

The lamps must conform to the latest standards of large manufacturers of such lamps.

The Company shall have the right from time to time to inspect and make tests of the Customer's equipment as installed or of samples furnished by the Customer in connection with the supply of service hereunder.

(Service Classification No. 6 - Continued on Leaf No. 248)

Date of Issue: October 7, 1993

Date Effective: January 1, 1994

SERVICE CLASSIFICATION NO. 6 - Continued

PUBLIC AND PRIVATE STREET LIGHTING

Special Provisions - Continued

- (D) Additional lamps may be added or existing lamps may be discontinued by the Customer upon prior notice in writing to the Company.
- (E) The Company shall install its service conduit and conductors from its street distribution system to the following points of service termination:
 - (1) At the base of a street lighting or traffic signal post or pole and similar posts located on the side of the roadway (as hereinafter defined) when served from the underground distribution system.
 - (2) At the top of a street lighting or traffic signal or similar post or at the pole plate of a bracket attached to the Company's line poles or to the Customer's poles located on the side of the roadway (as hereinafter defined) when served from the overhead distribution system.
 - (3) At a splicing chamber furnished and installed by the Customer at the side of a roadway (as hereinafter defined) or at a point or points mutually agreed upon for street lighting, traffic lighting, and similar installations located on marginal streets and ways, parkways, expressways, and thruways.
 - (4) At a splicing chamber or the grade level end of a standpipe, furnished and installed by the Customer on the side of the roadway (as hereinafter defined) for units on elevated railroad structures, elevated or depressed highways, bridges, grade separations, traffic interchanges or highways cloverleaf intersections, buildings, or other structures.
 - (5) At a splicing chamber furnished and installed by the Customer adjacent to the roadway (as hereinafter defined) for lamps in parks, playgrounds, recreation areas or other similar Customer-owned areas.

For purposes of this Service Classification, the word "roadway" shall be deemed to mean that part of a public street, avenue, highway, or service road used for purposes of vehicular traffic, but shall not include parkways, expressways, thruways, and other limited access thoroughfares.

The Company will not extend its distribution system solely for street lighting purposes in any portion of a roadway where the abutting property on both sides of a roadway outside the limits of the street is owned by the Customer.

(Service Classification No. 6 - Continued on Leaf No. 249)

Date of Issue: October 7, 1993

Date Effective: January 1, 1994

**Issued by Raymond J. McCann, Executive Vice President and
Chief Financial Officer
4 Irving Place, New York, N.Y. 10003**

SERVICE CLASSIFICATION NO. 6 - Continued

PUBLIC AND PRIVATE STREET LIGHTING

Special Provisions - Continued

- (F) The Company shall have the right to designate whether new lamps shall be multiple or series, and whether they shall be supplied with overhead or underground service. The Company reserves the right to change the type of service and equipment, or any portion thereof, at any location, at its own expense in connection with improvements to its distribution system.

Where underground service is now available, or shall be made available by the Company in streets approximately at grade, the Customer shall install the necessary street lighting equipment to enable the street lighting service to be supplied from such underground distribution system in accordance with Special Provision E hereof.

- (G) In the interest of more efficient and economical service for its Customers as a whole, the Company is gradually standardizing its operations and withdrawing from the business of furnishing or maintaining or renting street lighting equipment.

Under Part "2" of the "Rate" provision of this Service Classification, the Company will continue to maintain control equipment and control wiring for existing Company-owned multiple and series circuits and any new lighting units for which the Company designates the use of series service. For other lighting units the Customer will furnish and install, and maintain the necessary control devices.

- (H) The Customer shall cause its employees, contractors or agents performing work on series or series -multiple lighting circuits, to obtain permission to do so from the Company's Emergency Foreman before commencing any work.

- (I) Service under this Service Classification will be furnished only directly to the Customer for the Customer's own use for the purposes provided herein, and may not be remetered (or submetered) or resold, assigned, or otherwise disposed of to another or others.

- (J) Rates and charges stated without reference to a specific month shall apply to all electric service supplied hereunder on and after the effective date hereof. Where a bill includes periods before the effective date and after the effective date, the rates and charges applicable will be prorated based on the number of days of service rendered before the effective date and on and after the effective date related to the total number of days in the billing period.

Rates and charges referable to a specific month ("month-specific rates and charges") shall apply to all electric service supplied hereunder after the last day of the preceding month and through the last day of the named month. Where a bill includes periods before and after the first calendar day of a month, the month-specific rates and charges applicable will be prorated based on the number of days of service rendered before the first day of the month and on and after the first calendar day of the month related to the total number of days in the billing period.

- (K) The following rider may be applied to this Service Classification: A.
- (L) For general rules, regulations, terms and conditions under which service will be supplied, see General Information Section III, inclusive. However, to the extent that such general rules may be inconsistent with the specific provisions of this Service Classification, the latter shall govern.
- (M) For form of application under this Service Classification, see General Information Section IX.

Date of Issue: April 28, 2000

Date Effective: May 1, 2000